

1 IDENTIFICATION OF THE PREPARATION AND COMPANY

1. Product Name: EPF BUFF COMPOSITE FORMULA

Product Code: LEPFTN2 Revision: 3.00 Issue Date: 08/01/15

2. Intended Use: Industrial Primer

3. Supplier:

CORROLESS Corrosion Control

Kelvin Way,
West Bromwich
West Midlands

B70 7JZ, United Kingdom

Telephone: +44 (0)121 525 5665 Facsimile: +44(0)121 553 2787

(Not 24Hrs)

Email: contact@corroless.com
Website: www.corroless.com

2 HAZARDS IDENTIFICATION

 ${\tt Harmful:} {\tt danger}$ of serious damage to health by prolonged exposure through inhalation

May cause sensitisation by skin contact

Irritating to the eyes and skin

Contains epoxy constituents - See information supplied by the Manufacturer Toxic to aquatic organisms: may cause long-term adverse effects in the aquatic environment

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name Of Substance & [EINECS No]	Concentration	Symbol	R Phrases
Xylene, mixture of isomers[215-535-7]	1-10 %	Xn	R10-20/21-38
2,4,6- Tris(dimethylaminomethyl)phenol[202-013- 9]	1-10 %	Xn	R22-36/38
Epoxy resin (Less Than 700 mol wt)[28064-14-4]	10-25 %	Xi	R36/38-43- 51/53- P92
C13/C15-alkyloxymethyloxirane[268-358-2]	1-10 %	Xi	R36/38-43- 51/53
Alkylated phenolic polyamine	10-25 %	Xi	R36/38- 43
Silicate extenders[310-127-6]	1-10 %		
Crystalline silica.[238-878-4]	10-25 %	Xn	R48/20
Epoxy resin (Greater Than 700 mol wt)[500-033-5]	10-25 %	Xn	R20/21-36/38- 43

4 FIRST AID MEASURES

General

- * In all cases of doubt, or when symptoms persist, seek medical attention.
- * If unconscious place in recovery position, give nothing by mouth.

Inhalation

- * Remove to fresh air.
- * If breathing is irregular or stopped, administer artificial respiration.

Eye Contact

- * Immediately irrigate copiously with clean water for at least 10 minutes. Skin Contact $\,$
 - * Remove contaminated clothing.
 - * Wash skin thoroughly with soap and water or recognised skin cleaner.
 - * Do NOT use solvents or thinners.

Ingestion

- * If swallowed obtain immediate medical attention.
- * Keep at rest.
- * Do NOT induce vomiting.

5 FIRE FIGHTING MEASURES

- * Extinquishing Media: alcohol resistant foam, CO2, powder or water fog.
- * Never use water jets or water from buckets etc. to fight fire.
- * Closed packages may be cooled with water spray.
- * Fire will produce dense black smoke.
- * Exposure to decomposition products may cause a health hazard.
- * Appropriate self contained breathing apparatus may be required.
- * Cool closed containers exposed to fire with water.
- * Do not allow run-off from fire-fighting to enter drains or water courses.

6 ACCIDENTAL RELEASE MEASURES

- * Exclude sources of ignition.
- * Ventilate the area.
- * Exclude non-essential personnel.
- * Avoid breathing vapours.
- * Contain/collect spillage with non-combustible absorbent materials.

7 HANDLING AND STORAGE

Handling

- * Persons with history of skin sensitisation problems should NOT be employed where this product is used unless under appropriate medical supervision.
- * Vapours are heavier than air & may spread along floors.
- * Keep the container tightly closed.
- * Isolate from sources of heat, sparks and open flame.
- * Avoid skin and eye contact/inhalation of vapour and mist.
- * The Manual Handling Operation Regulations apply.
- * Guide pack weight: [5 Ltr= 9 Kgs] [20 Ltr= 35 Kgs] [25 Ltr= 43 Kgs]

Storage

- * HSE guidance note: Storage of Packaged Dangerous Substances HS(G)71 should be observed.
- * Observe the label precautions.
- * Separate from oxidising agents.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

* Persons with a history of skin sensitisation problems should be employed in processes in which this product is used only under appropriate medical supervision.

Engineering Measures

- * Provide adequate ventilation.
- * Spray in booths/enclosures with sufficient ventilation to prevent mist escaping to surrounding area.
- * Respiratory protective equipment should be worn by spray booth operators. Workplace Exposure Limits (WEL's) Expressed as parts per million if available, else milligrams/cubic metre(m).
 - * Those marked "REC" are unofficial limits provided for guidance only.

Substance	VIR	8hr TWA	15 Min STEL	Туре	Skin	Notes
Xylene, mixture of isomers	V	50.000	100.000	WEL	Υ	BMGV
Silicate extenders	V	2.00m		WEL	N	as dust
Crystalline silica.	R	0.10m		WEL	N	as dust
Inhalable Dusts	I	10.000		WEL	N	
Respirable Dusts	R	4.000		WEL	N	
V=Vapour, I=Inhalable dust, R=Respirable dust						

Respiratory Protection

- * Air fed respiratory protection should be worn when product sprayed and exposure of the sprayer cannot be controlled below WEL.
- * Wet sanding of this product is recommended.
- * If exposure to dust cannot be avoided by local exhaust ventilation, suitable respiratory protective equipment should be used.

Hand, Eye, Skin Protection

- * Equipment conforming to Use of PPE Regulations should be worn.
- * COSHH Regulations apply.

9 PHYSICAL AND CHEMICAL PROPERTIES

a) Physical State
b) Flash Point
c) Specific Gravity
i Liquid
i Above 55°C
i 1.53 ± 0.1

d) Vapour Density : Heavier Than Air.

e) Solubility in Water : Immiscible with Water

10 STABILITY AND REACTIVITY

- * Stable under recommended storage and handling conditions.
- * Decomposition products are carbon monoxide , carbon dioxide, smoke and oxides of nitrogen.
- * Keep away from oxidising agents, alkali, acid, amine, water and alcohols.

11 TOXICOLOGICAL INFORMATION

- * No data available on product itself, however: -
- * COSHH requires that persons exposed to respiratory sensitisers, are subject to appropriate health surveillance.
- * Substances used within this product have irritant properties.
- * Prolonged or repeated contact with skin/mucous membrane may result in symptoms such as redness, blistering or dermatitis.
- * Splashes in eyes may cause irritation.
- * Inhalation of droplets/aerosols may irritate respiratory tract.
- * Ingestion may lead to severe respiratory difficulties, stimulation of central nervous system and in extreme cases unconsciousness.
- * Cases of allergic skin reaction have been observed.
- * Epoxy constituent may be a skin and respiratory sensitiser and irritant.
- * Low molecular weight epoxy constituents are irritating to eyes, mucous membrane and skin.
- * Repeated skin contact may cause sensitisation/cross sensitisation to other epoxies.
- * Repeated or prolonged contact may result in non-allergic contact dermatitis and absorption through the skin.

12 ECOLOGICAL INFORMATION

- * Air Pollution Control or Integrated Pollution Control regulations made under the Environmental Protection Act may apply.
- * Do not allow to enter drains or water courses.
- * This product contains a substance which is :- R51 Toxic to aquatic organisms.

13 DISPOSAL CONSIDERATIONS

* In accordance with Control of Pollution Act and Environmental Protection Act.

14 TRANSPORT INFORMATION

	CDG- CPL	ADR	IMDG			
Class Number	9	9	9			
Subsidiary Hazard Code	NUL	NUL	NUL			
Packing Group	III	III	III			
Tunnel Codes / EmS Codes		(E)	F-E;S-F			
Proper Shipping Name	Environmentally Hazardous Substance, Liquid, n.o.s. EPOXY					
U.N. Number	3082					
Marine Pollutant : No						

15 REGULATORY INFORMATION

* Classified and labelled for supply in accordance with the Chemicals (Hazard Information and Packaging) Regulations as follows:-

HEALTH Xn,Xi Harmful & Irritant

PHYSICO-CHEMICAL Not Classified

ENVIRONMENT N Dangerous for the Environment



R48/20Harmful:danger of serious damage to health by prolonged exposure through inhalation

R43 May cause sensitisation by skin contact

R36/38Irritating to the eyes and skin

P92 Contains epoxy constituents - See information supplied by the Manufacturer

R51/53Toxic to aquatic organisms: may cause long-term adverse effects in the aquatic environment

S23c Do not breathe vapour or spray mist

S18 Handle and open container with care

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S42 During spraying wear suitable respiratory equipment

S7/9 Keep container tightly closed and in a well ventilated place

* The information contained in this data sheet does not constitute the user's own assessment of workplace risks as required by health and safety legislation.

16 OTHER INFORMATION

* Do not use for purposes other than those shown in Section 1 without referring to the supplier.